

RobustIRC

or: IRC without Netsplits

Chaos Communication Camp, 2015-08-15

Michael Stapelberg

<michael@robustirc.net>

Motivation

- IRC widely used among FOSS, hackers
- no convincing alternative available
- our biggest problem: lack of stability
 - TCP disconnects split up an IRC network
 - hence software updates, reboots, ... cause splits

Idea

- use a tunnel protocol to gloss over disconnects
- [highly available databases](#) exist, so let's build an IRC network as a distributed system using [Raft](#)

Overview

- n RobustIRC servers make up 1 virtual IRC server
- minority of servers ($\leq \text{floor}(n/2)$) can fail
 - 3 servers: 1 can fail. 5 servers: 2 can fail
- RobustSession protocol between servers/clients
- “bridge” tunnels IRC over RobustSession

How does it work?

- persist incoming IRC commands using Raft
- servers are state machines, generate same state
 - clients get same results when failing over
 - same state on server after reboot + reprocess

Fine print

- IRC latency = median latency of all servers
- robust networks require ≥ 3 failure domains
- throughput of 1000+ messages/s not yet high enough for biggest IRC networks

Connecting

- setting up a bridge (requires Go):
 - `export GOPATH=~/.gocode`
 - `go get -u github.com/robustirc/bridge/robustirc-bridge`
 - `GOPATH/bin/robustirc-bridge -network=robustirc.net`
 - connect your IRC client to `localhost:6667`
- ...or use `legacy-irc.robustirc.net` (not as good)

The end

- <http://robustirc.net/>
 - [docs/adminguide.html](http://robustirc.net/docs/adminguide.html) if you want to set it up
 - 40 minute [tech talk](#) if you want to learn more
- please talk to me if you have questions!